



## Inspection Report

DONNA GNEMI

Customer ID: 8022

Certificate: 43-A-2924

Site: 001

DONNA GNEMI

RUFF STUFF KENNEL  
16589 STATE ROUTE B

Type: ROUTINE INSPECTION

Date: Feb-01-2010

ST JAMES, MO 65559

### 3.6 (a) (2) (x)

#### PRIMARY ENCLOSURES.

Sec. 3.6 Primary enclosures.

Primary enclosures for dogs...must meet the following minimum requirements:

(a) General requirements.

(2) Primary enclosures must be constructed and maintained so that they:

(x) Have floors that are constructed in a manner that protects the dogs'...feet and legs from injury, and that, if of mesh or slatted construction, do not allow the dogs'...feet to pass through any openings in the floor.

\*\*\*In the whelping house, there were pens containing 10 puppies where the puppies' feet were noted to be falling through the holes in the wire. One pen has 1" x 1/2" wire flooring and two pens have 1" x 1" wire flooring. This causes the feet and legs of the puppies to be unprotected from injury.

The owner needs to assure that the floors are constructed in a manner in which the dogs' feet and legs are protected from injury in order to be in compliance with this regulation.

Affects 10 puppies.

To be corrected by February 3, 2010.

### 3.11 (b) (2)

#### CLEANING, SANITIZATION, HOUSEKEEPING, AND PEST CONTROL.

Sec. 3.11 Cleaning, sanitization, housekeeping, and pest control.

(b) Sanitization of primary enclosures and food and water receptacles.

(2) Used...food and receptacles for dogs...must be sanitized at least once every 2 weeks using one of the methods prescribed in paragraph (b)(3) of this section, and more often if necessary to prevent an accumulation of dirt, debris, food waste, excreta, and other disease hazards.

\*\*\*In the adult sheltered facility there were 2 self feeders noted to be chewed around the top edges

#### Prepared By:

BEVERLY HICKS, A.C.I.

USDA, APHIS, Animal Care

Date:

Title:

ANIMAL CARE INSPECTOR

Inspector 5051

Feb-01-2010

#### Received By:

(b)(6),(b)(7)(c)

Date:

Title:

Feb-01-2010



## Inspection Report

---

preventing proper cleaning and sanitation for these items. There was also 1 water pipe inside a primary enclosure that was noted as having mineral buildup on it. These items were accumulating dirt and hair which could lead to disease hazards.

The owner needs to assure that all areas of the primary enclosure are kept in repair and that all areas are cleaned and sanitized to prevent an accumulation of dirt, debris, food waste, excreta, and other disease hazards in order to be in compliance with this regulation.

Affects 3 adult dogs.

To be corrected by February 5, 2010.

This inspection began at 1212.

Inspection and exit interview conducted by owner and Beverly Hicks, ACI.

End of report.

---

**Prepared By:**

BEVERLY HICKS, A.C.I.      USDA, APHIS, Animal Care  
Title: ANIMAL CARE INSPECTOR      Inspector 5051

**Date:**  
Feb-01-2010

**Received By:**

(b)(6),(b)(7)(c)

**Date:**  
Feb-01-2010

Title:



## Inspection Report

---

DONNA GNEMI  
RUFF STUFF KENNEL  
16589 STATE ROUTE B

Customer ID: **8022**  
Certificate: **43-A-2924**  
Site: 001  
DONNA GNEMI

Type: ROUTINE INSPECTION

ST JAMES, MO 65559

Date: Jun-16-2009

---

THERE WERE NO NONCOMPLIANT ITEMS OBSERVED IN THIS INSPECTION.

---

**Prepared By:**

KATHRYN VERNON, A.C.I.      USDA, APHIS, Animal Care  
Title: ANIMAL CARE INSPECTOR      Inspector 5041

**Date:**  
Jun-17-2009

**Received By:**

(b)(6),(b)(7)(c)

**Date:**  
Jun-17-2009

Title:



## Inspection Report

---

DONNA GNEMI  
RUFF STUFF KENNEL  
16589 STATE ROUTE B

Customer ID: **8022**  
Certificate: **43-A-2924**  
Site: 001  
DONNA GNEMI

Type: ROUTINE INSPECTION

Date: Apr-17-2008

ST JAMES, MO 65559

---

No non-compliances seen on this inspection.

---

**Prepared By:**

DAVID KAMINSKY, V.M.O. USDA, APHIS, Animal Care

**Title:** VETERINARY MEDICAL OFFICER Inspector 5040

**Date:**

Apr-17-2008

**Received By:**

(b)(6),(b)(7)(c)

**Date:**

Apr-17-2008

**Title:**